


LUMENS | **2018 / 2019**
Leading the LED Revolution | PKG & MDL CATALOGUE



EggDrop® *FLICKER-FREE*



Model Name	Size (mm)	LES (mm)	CCT (K)	CRI (Ra)	Voltage (Vac)	Watts (W)	Flux (lm)	Efficacy (lm/W)	% Flicker Typ. (%)
EDC_57C_8W_830_FF	Ø57	Ø14	3,000	80	230	8	1,050	130	<20
EDC_57C_12W_830_FF	Ø57	Ø14	3,000	80	230	12	1,500	125	<20
EDC_57C_17W_830_FF	Ø57	Ø18	3,000	80	230	17	2,000	120	<20
EDC_57C_21W_830_FF	Ø57	Ø18	3,000	80	230	21	2,500	120	<35
EDC_57C_25W_830_FF	Ø57	Ø18	3,000	80	230	25	3,000	120	<35




EggDrop® *DIM TO WARM*

Model Name	Size (mm)	LES (mm)	CCT (K)	CRI (Ra)	Voltage (Vac)	Watts (W)	Flux (lm)			% Flicker Typ. (%)
							@1,800K	@2,600K	@3,000K	
EDC_38C_6W_830_DW	Ø38	Ø10	1,800 ~ 3,000	80	230	6	45	243	500	-
EDC_47C_12W_830_DW	Ø47	Ø13	1,800 ~ 3,000	80	230	12	45	535	1,100	-
EDC_57C_20W_830_DW	Ø57	Ø18	1,800 ~ 3,000	80	230	20	220	1,076	2,200	<20



EggDrop® *STANDARD*



	Model Name	Size (mm)	LES (mm)	Watts (W)	CCT (K)	CRI (Ra)	Voltage (Vac)	Flux (lm)	Efficacy (lm/W)
Ø38	EDC_38C_4W_830	Ø38	Ø10	4	3,000	80	230	400	100
	EDC_38C_6W_830	Ø38	Ø10	6	3,000	80	230	600	100
	EDC_38C_8W_830	Ø38	Ø10	8	3,000	80	230	800	100
Ø47	EDC_47C_10W_830	Ø47	Ø13	10	3,000	80	230	1,200	120
	EDC_47C_12W_830	Ø47	Ø13	12	3,000	80	230	1,440	120
	EDC_47C_15W_830	Ø47	Ø13	15	3,000	80	230	1,800	120
Ø57	EDC_57C_17W_830	Ø57	Ø21	17	3,000	80	230	2,040	120
	EDC_57C_25W_830	Ø57	Ø21	25	3,000	80	230	3,000	120
	EDC_57C_34W_830	Ø57	Ø21	34	3,000	80	230	4,080	120



Érgon® COB H1

Flip chip COB, The Ultimate Reliability

Model	Model Number	Dimension (mm)	LES (mm)	CRI (Ra)	CCT (K)	Watts (W)	Luminous Flux Typ. (lm)	Luminous Efficacy (lm/W)	Forward Voltage (V)	Forward Current Typ. / Max. (mA)
ERC13009H1	ERC13009S830H1	13.5x13.5	Ø9.8	80	3,000	9.2	1,263	130	34.1	270 / 540
	ERC13009S850H1	13.5x13.5	Ø9.8	80	5,000	9.2	1,326	144	34.1	270 / 540
ERC20015H1	ERC20015S830H1	19.0x19.0	Ø14.5	80	3,000	15.0	2,266	151	33.0	450 / 900
	ERC20015S850H1	19.0x19.0	Ø14.5	80	5,000	15.0	2,379	159	33.0	450 / 900
ERC20025H1	ERC20025S830H1	19.0x19.0	Ø14.5	80	3,000	24.0	3,336	139	33.4	720 / 1,440
	ERC20025S850H1	19.0x19.0	Ø14.5	80	5,000	24.0	3,503	146	33.4	720 / 1,440
ERC30035H1	ERC30035S830H1	28.0x28.0	Ø22.0	80	3,000	36.0	5,383	150	33.5	1,080 / 2,160
	ERC30035S850H1	28.0x28.0	Ø22.0	80	5,000	36.0	5,652	157	33.5	1,080 / 2,160
ERC30055H1	ERC30055S830H1	28.0x28.0	Ø22.0	80	3,000	54.0	7,572	140	50.0	1,080 / 2,160
	ERC30055S850H1	28.0x28.0	Ø22.0	80	5,000	54.0	7,951	147	50.0	1,080 / 2,160
ERC30085H1	ERC30085S830H1	28.0x28.0	Ø22.0	80	3,000	81.0	10,471	129	50.0	1,620 / 3,240
	ERC30085S850H1	28.0x28.0	Ø22.0	80	5,000	81.0	10,994	136	50.0	1,620 / 3,240
ERC40115H1	ERC40115S830H1	38.0x38.0	Ø32.8	80	3,000	114.0	16,014	135	50.6	2,250 / 4,500
	ERC40115S850H1	38.0x38.0	Ø32.8	80	5,000	114.0	16,815	142	50.6	2,250 / 4,500

Prodotti LUMENS Distribuiti da EUROTEK s.r.l.

EUROTEK

Viale dell'Industria, 46 - Z.I. - 21052 Busto Arsizio (VA) - Italy

TEL: +39-0331-679930 - FAX: +39-0331-679940

Web: www.eurotek.it